

Intelligent Water Treatment Technology

COMMERCIAL RANGE

2024-5



BRAUER
SWIM

Designed and Manufactured in Australia Since 1998.

braerswim.com

Commercial Range

Fit for Purpose

At Brauer Swim, we are dedicated to pioneering world-class technologies that set new standards in the aquatics industry. Our Chemistry Controller, Onsite Inline Chlorination and AOP - UV Disinfection systems embody this commitment, delivering unparalleled performance and reliability. Backed by our in-house research and development team, we have secured significant international patents that drive the innovation behind our products, allowing us to achieve unrivalled results in water quality.

Our mission is clear, create the healthiest water possible using cutting-edge technologies that are fit for purpose and not only meet but exceed industry expectations. At Brauer Swim, we are not just about meeting today's challenges — we're about shaping the future of water quality.

Join us in our quest to deliver the best. Experience the difference with Brauer Swim's Commercial Range and let us help you achieve the ultimate in water quality and safety.



2000+

Commercial
Systems Built





Applications

- Learn to Swim Pools
- Aquatic Centres
- Water Parks
- Splash Pads and Water Slides
- Hydrotherapy Pools and Spas
- Hot and Cold Recovery Pools and Spas
- Resorts and Hotel Pools
- Holiday Park Pools
- Apartments and Retirement Village Pools

Onsite Inline Chlorination

Our proprietary Commercial Onsite Inline Fresh, Mineral and Saltwater Chlorine Generators have become the industry standard for maintaining primary sanitisation levels, ensuring regulatory compliance, health and total peace of mind. Utilising Brauer Swim's Proprietary Inductor Technology, the **B-Protected** inline generators represent a significant upgrade from granular or liquid chlorine dosing systems, offering superior safety, cost efficiency and operational performance.

As the safest, most cost-effective way to produce chlorine from dissolved salts and minerals through electrolysis, they also eliminate the health and safety risks associated with chlorine leaks, spills and off-gassing. Skid-mounted, compact and built with durable components, our Australian made systems offer customisable solutions, all backed by a 3 year warranty for your confidence.

Product Highlights

- Generators Available from 130 - 5,000 gram/hour
- TDS Range of 1,200 - 35,000ppm
- Low TDS, Mineral and Salt Series Available
- Eliminates Reliance on Granular or Liquid Chlorine
- Reduces Chemical Storage and Handling Needs
- Prevents Chlorine Spills, Leaks and Off-Gassing
- Low Maintenance Requirements
- Durable in High Ambient Temperatures
- Skid-Mounted, Compact Modular Design
- Built to Last with High-Quality Components
- Proprietary, Advanced Technology
- Customisable for Unique Applications
- Australian Made with 3 Year Warranty*

Standard Features

- Reverse Polarity Self-Cleaning Cell
- Extending Electrode Life Technology
- Transparent Cell Housing for Easy Inspection
- Integrated Acid Wash System
- Thermal and Water Flow Protection Built-In
- Passive Water-Cooled Insulated Cabinet
- Electronic Current Control
- External or Inbuilt Manual Control
- Overload and Overvoltage Protection
- Temperature and Water Flow Safeguards
- Pressure Relief Valve for Added Safety
- User-Friendly Interface with Backlit LCD Display
- PLC Controller for Customised Integrations
- Built-In Self Diagnostics and Service Screen

* WARRANTY AVAILABLE ON OBTAINING SIZING CERTIFICATE

S SERIES

M SERIES

F SERIES

Features

S Series - Saltwater

- Designed for Commercial Saltwater to Seawater Pools
- TDS Range 5,000 – 35,000ppm
- Mineral, Salt and Seawater Compatible
- Chlorine Output from 250 to 5,000 grams/hour
- Custom Chlorine Output Available
- Custom Sizing to Suit Plant Room
- Warranty 3 Years*

M Series - Mineral

- Designed for Commercial Mineral Pools
- Minimum Required TDS of 3,500ppm
- Mineral and Salt Compatible
- Chlorine Output from 210 to 4,200 grams/hour
- Custom Chlorine Output Available
- Custom Sizing to Suit Plant Room
- Warranty 3 Years*

F Series - Freshwater

- Designed for Commercial Freshwater (Low TDS) Pools
- Minimum Required TDS of 1,200ppm
- Low TDS (Freshwater), Mineral and Salt Compatible
- Chlorine Output from 130 to 1,300 grams/hour
- Custom Chlorine Output Available
- Custom Sizing to Suit Plant Room
- Warranty 3 Years*

TECHNICAL
DATA





BRAUER
SWIM

Get in touch today...

AUS 1300 696 631 | NZ 0800 112 530 | brauerswim.com |  /brauerswim/

Designed and Manufactured in Australia Since 1998.

